## Sarombinations unexpected




## BENTLEY









**BENTLY - 909** 

## BENTLEY

Design	Width (In Cms)	Weight	Composition	Martin - Dale (Dry)	Martin - Dale (Wet)	Parten Repeat (If any)
BENTLEY	137±2	615 GSM	PU-1%, PVC-79% FABRIC - 20%	25600 Cycles	6400 Cycles	N/A

- 1. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation.
- 2. Test results were gathered from various samples and therefore represent average indicative values.
- 3. Discolouration caused by clothing fabrics such as jenas does not represent a material defect. Minor colour deviations and discolouring in context of permissible industrial tolerance standards do not constitute reasons for claims .

## PU/PVC FABRIC CARE INSTRUCTIONS:

- 1. Vacuum and dust regularly.
- 2. Do not place heater close to PU/PVC fabric (No closer than 50 cm).
- 3. Protect from direct sunlight.
- 4. Wipe over contact areas regularly with clean soft cloth.
- 5. Avoid hard rubbing and scrubbing.
- 6. Treat all liquid and food spills immediately.
- 7. Clean contact areas of perspiration and body oils regularly.
- 8. Keep pets and sharp object away from PU/PVC fabric Fur is particularly cause permanent discoloration Claws Belt Buckles, Heels, Key, Knives or pull causing permanent PU/PVC fabric damage.

Washing Instructions



MADE IN INDIA

Color may vary from batch to batch

Complimentary Sample File Not For Sale

Product Color May Slightly Vary From Original Due To Photographic Lighting Sources Or Your Screen Settings.



www.sarom.co.in | www.sarom.info





