## sarom



sarom

SYDNEY







**SYDNEY - 902** 

SYDNEY - 901





#### SYDNEY - 908

SYDNEY - 903



SYDNEY - 912



SYDNEY - 913





SYDNEY - 904

SYDNEY - 906







#### SYDNEY - 905

### SYDNEY - 907



SYDNEY

sarom 📗



SYDNEY - 909






SYDNEY - 910



SYDNEY - 911



SYDNEY - 906



Design	Width (in cm)	Weight (Gsm)	Composition	Abrasion Resistance	Color Fastness to light	Piling Resistance	End Use
SYDNEY	140	400 ± 5%	100% Polyester	> = 20,000	4	4	

1. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation.

2. Test results were gathered from various samples and therefore represent average indicative values.

3. Discolouration caused by clothing fabrics such as jenas does not represent a material defect. Minor colour deviations and discolouring in context of permissible industrial tolerance standards do not constitute reasons for claims .

Washing Instructions



sarom

Color may vary from batch to batch

SYDNEY

Product Color May Slightly Vary From Original Due To Photographic Lighting Sources Or Your Screen Settings.

Satometries unexpected

www.sarom.co.in |www.sarom.info

f@/saromfab



# Sarom